

STANDARD CONTAINER



Tipo	Largo*	Ancho*	Alto*	Ancho de la puerta	Alto de la puerta	Capacidad	Peso tara	Carga Máxima
Standard 20'	19' 4"	7' 8"	7' 10"	7' 8"	7' 6"	1,172 Cft	4,916 Lbs	47,900 Lbs
	5.900 m	2.350 m	2.393 m	2.342 m	2.280 m	33.2 m3	2,230 Kgs	21,770 Kgs
Standard 40'	39' 5"	7' 8"	7' 10"	7' 8"	7' 6"	2,390 Cft	8,160 Lbs	59,040 Lbs
	12.036 m	2.350 m	2.392 m	2.340 m	2.280 m	67.7 m3	3,700 Kgs	26,780 Kgs

UPGRADED CONTAINER



Tipo	Largo*	Ancho*	Alto*	Ancho de la puerta	Alto de la puerta	Capacidad	Peso tara	Carga Máxima
Upgraded 20'	19' 4"	7' 7"	7' 10"	7' 6"	7' 6"	1,150 Cft	5,060 Lbs	61,996 Lbs
	5.900 m	2.311 m	2.390 m	2.286 m	2.280 m	32.63 m3	2,300 Kgs	28,180 Kgs
High Cube 40'	39' 5"	7' 8"	8' 10"	7' 8"	8' 5"	2,694 Cft	8,750 Lbs	58,450 Lbs
	12.036 m	2.350 m	2.697 m	2.338 m	2.585 m	76.3 m3	3,970 Kgs	26,510 Kgs

REEFERS CONTAINER




Tipo	Largo*	Ancho*	Alto*	Ancho de la puerta	Alto de la puerta	Capacidad	Peso tara	Carga máxima
Reefer 20'	17' 8"	7' 5"	7' 5"	7' 5"	7' 3"	1,000 Cft	7,040 Lbs	45,760 Lbs
	5.425 m	2.275 m	2.260 m	2.258 m	2.216 m	28.3 Cu.m	3,200 Kgs	20,800 Kgs
Reefer 40'	37' 8"	7' 5"	7' 2"	7' 5"	7' 0"	2,040 Cft	10,780 Lbs	56,276 Lbs
	11.493 m	2.270 m	2.197 m	2.282 m	2.155 m	57.8 Cu.m	4,900 Kgs	25,580 Kgs
Reefer 40' High Cube	37' 11"	7' 6"	8' 2"	7' 6"	8' 0"	2,344 Cft	9,900 Lbs	57,561 Lbs
	11,557 m	2.294 m	2.500 m	2.294 m	2.440 m	66.6 Cu.m	4,500 Kgs	25,980 Kgs

OPEN TOP



Tipo	Largo *	Ancho *	Alto*	Ancho de la puerta	Alto de la puerta	Capacidad	Peso tara	Carga máxima
Open Top 20'	19' 4"	7' 7"	7' 8"	7' 6"	7' 2"	1,136 Cft	5,280 Lbs	47,620 Lbs
	5.894 m	2.311 m	2.354 m	2.286 m	2.184 m	32.23 Cu.m	2,400 Kgs	21,600 Kgs
Open Top 40'	39' 5"	7' 8"	7' 8"	7' 8"	7' 5"	2,350 Cft	8,490 Lbs	58,710 Lbs
	12.028 m	2.350 m	2.345 m	2.341 m	2.274 m	66.5 Cu.m	3,850 Kgs	26,630 Kgs

FLAT RACK




Tipo	Largo*	Ancho*	Alto*	Ancho de la puerta	Alto de la puerta	Capacidad	Peso tara	Carga máxima
Flat Rack 20'	18' 5"	7' 3"	7' 4"	-	-	-	5,280 Lbs	61,117 Lbs
	5.61 m	2.228 m	2.233 m	-	-	-	2,530 Kgs	27,722 Kgs
Flat Rack 40'	39' 7"	7' 3"	7' 4"	-	-	-	12,081 Lbs	85,800 Lbs
	12.06 m	2.228 m	2.233 m	-	-	-	5,479 Kgs	38,918 Kgs

FLAT RACK COLLAPSIBLE



Tipo	Largo*	Ancho*	Alto*	Ancho de la puerta	Alto de la puerta	Capacidad	Peso tara	Carga máxima
Collapsible 20'	18' 6"	7' 3"	7' 4"	-	-	-	6,061 Lbs	61,117 Lbs
	5.63 m	2.228 m	2.233 m	-	-	-	2,749 Kgs	27,722 Kgs
Collapsible 40'	39' 7"	7' 3"	7' 4"	-	-	-	12,787 Lbs	85,800 Lbs
	12.06 m	2.228 m	2.233 m	-	-	-	5,800 Kgs	38,918 Kgs

PLATFORM



Tipo	Largo*	Ancho*	Alto*	Ancho de la puerta	Alto de la puerta	Capacidad	Peso tara	Carga máxima
Platform 20'	19' 11"	8' 0"	7' 4"	-	-	-	6,061 Lbs	52,896 Lbs
	6.07 m	2.43 m	2.23 m	-	-	-	2,749 Kgs	23,993 Kgs
Platform 40'	40' 0"	8' 0"	6' 5"	-	-	-	12,783 Lbs	66,397 Lbs
	12.19 m	2.43 m	1.95 m	-	-	-	5,798 Kgs	30,117 Kgs